



Cable ID: F5-BK-10M

Date / Time: 12/19/2019 18:12:13
Headroom 2.5 dB (NEXT 45-78)
Test Limit: TIA Cat 5e Channel
 Cable Type: Cat 5e F/UTP
 Calibration Date: 06/23/2010

Operator: SHIPQC
 Software Version: 2.7800
 Limits Version: 1.9500
 NVP: 69.0%

Test Summary: PASS

Model: DTX-1800
 Main S/N: 1357153
 Remote S/N: 1357154
 Main Adapter: DTX-CHA002
 Remote Adapter: DTX-CHA002



Length (m), Limit 100.0	[Pair 78]	82.7
Prop. Delay (ns), Limit 555	[Pair 36]	425
Delay Skew (ns), Limit 50	[Pair 36]	25
Resistance (ohms)	[Pair 36]	15.9
Insertion Loss Margin (dB)	[Pair 36]	6.9
Frequency (MHz)	[Pair 36]	100.0
Limit (dB)	[Pair 36]	24.0



82.7 m





Wire Map (T568B)
PASS





Worst Case Margin Worst Case Value



PASS	MAIN	SR	MAIN	SR
Worst Pair	45-78	12-45	45-78	12-78
NEXT (dB)	2.5	6.1	2.5	6.3
Freq. (MHz)	88.3	83.0	88.3	97.3
Limit (dB)	31.0	31.5	31.0	30.3
Worst Pair	78	45	78	12
PS NEXT (dB)	4.3	6.8	4.3	7.7
Freq. (MHz)	72.0	13.5	88.0	97.0
Limit (dB)	29.5	41.8	28.0	27.3





PASS	MAIN	SR	MAIN	SR
Worst Pair	45-36	36-45	45-36	45-36
ACR-F (dB)	9.8	9.8	15.6	15.3
Freq. (MHz)	1.0	1.1	98.5	97.3
Limit (dB)	57.4	56.4	17.5	17.6
Worst Pair	36	45	36	45
PS ACR-F (dB)	12.8	12.7	17.4	17.5
Freq. (MHz)	1.0	1.0	99.5	99.0
Limit (dB)	54.4	54.4	14.4	14.5



N/A	MAIN	SR	MAIN	SR
Worst Pair	45-78	45-78	45-78	36-45
ACR-N (dB)	6.5	7.3	9.8	14.1
Freq. (MHz)	1.6	1.8	88.3	99.3
Limit (dB)	56.9	56.4	8.6	6.2
Worst Pair	45	78	78	36
PS ACR-N (dB)	8.0	8.6	11.6	15.6
Freq. (MHz)	6.3	1.6	88.0	99.3
Limit (dB)	41.8	53.9	5.6	3.2



PASS	MAIN	SR	MAIN	SR
Worst Pair	78	12	12	12
RL (dB)	3.2	3.6	5.5	3.6
Freq. (MHz)	3.1	52.8	52.3	52.8
Limit (dB)	17.0	12.8	12.8	12.8



Compliant Network Standards:
 10BASE-T 100BASE-TX 100BASE-T4
 1000BASE-T ATM-25 ATM-51
 ATM-155 100VG-AnyLan TR-4
 TR-16 Active TR-16 Passive

Cable ID	Summary	Test Limit	Length	Headroom	Date / Time:
F5-BK-10M	PASS	TIA Cat 5e Channel	82.7 m	2.5 dB (NEXT)	12/19/2019 18:12

Total Length:	82.7 m
Number of Reports:	1
Number of Passing Reports:	1
Number of Failing Reports:	0
Number of Warning Reports:	0
Documentation Only:	0