





### Specifications

<b>Frequency</b>	2.4 - 2.5 GHz 5.150 - 5.875 GHz 5.975 - 7.125 GHz
<b>V.S.W.R</b>	$\leq 2.5$
<b>Antenna radiation</b>	Directional
<b>Gian</b>	8 dBi @ 2.4 – 2.5 GHz 10 dBi @ 5.150 – 5.875 GHz 9 dBi @ 5.975 – 7.125 GHz
<b>Polarization</b>	Linear, Vertical
<b>Vertical beam-width</b>	40 degree
<b>Horizontal beam-width</b>	60 degree
<b>Connector</b>	RP-SMA plug (male)
<b>Dimensions</b>	167.3 x 66 x 18 mm
<b>Weight</b>	






# 2D drawing






# V.S.W.R






# Antenna Pattern



- 5150 MHz
- 5210 MHz
- 5290 MHz
- 5350 MHz
- 5475 MHz
- 5530 MHz
- 5600 MHz
- 5610 MHz
- 5690 MHz
- 5725 MHz
- 5750 MHz
- 5765 MHz
- 5825 MHz
- 5875 MHz



- 5975 MHz
- 6000 MHz
- 6055 MHz
- 6135 MHz
- 6215 MHz
- 6295 MHz
- 6375 MHz
- 6455 MHz
- 6535 MHz



- 6615 MHz
- 6695 MHz
- 6775 MHz
- 6855 MHz
- 6935 MHz
- 7015 MHz
- 7075 MHz
- 7125 MHz

